

1. Product and Company Identification

Product Name Pro Beam Long Lasting Fog Fluid * Director's Choice Fog Fluid * Quick Dissipating Fog Fluid * Extra Quick Dissipating Fog Fluid * Molecular Fog Fluid * Maxi Fog Fluid * Party Fog Fluid * Fluid Canister * EZ Kleen * Neutron Haze Fluid * Regular Haze Fluid


CAS # Mixture

Product use Theatrical Fog or Theatrical Haze

Manufacturer Le Maitre Special Effects Inc.
1960 Blue Heron Drive
London, ON N6H 5L9 CA
Phone: 519-659-7972
Toll Free: 800-388-0617
Emergency Phone: 1-800-424-9300 (CHEMTREC)

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 0
Flammability	1
Physical Hazard	0
Personal Protection	A



2. Hazards Identification

Emergency overview Contact with liquid may cause eye and skin irritation.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Eyes. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #
1,2-Propylene glycol	57-55-6
Dipropylene glycol	25265-71-8
Glycerol	56-81-5
Triethylene glycol	112-27-6
Water	7732-18-5

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention if irritation develops or persists.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation develops or persists.

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.
Notes to physician	Symptoms may be delayed.
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flammable properties	Not flammable by WHMIS/OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Dry chemical. Carbon dioxide. Alcohol foam. Polymer foam. Water Fog.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material.
Storage	Keep out of reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
1,2-Propylene glycol	ACGIH-TLV Not established OSHA-PEL Not established
Dipropylene glycol	ACGIH-TLV Not established OSHA-PEL Not established
Glycerol	ACGIH-TLV TWA: 10 mg/m ³ Mist: 10 mg/m ³ OSHA-PEL TWA: 15 mg/m ³
Triethylene glycol	ACGIH-TLV Not established OSHA-PEL Not established
Water	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Eye / face protection

Safety glasses recommended.

Hand protection

If there is constant skin contact, rubber gloves are recommended.

Skin and body protection

As required by employer code.

Respiratory protection

Not normally required if good ventilation is maintained.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical & Chemical Properties

Appearance	Clear.
Color	Colorless
Form	Liquid
Odor	no odour
Odor threshold	Not available
Physical state	Liquid
pH	Neutral
Melting point	Not available
Freezing point	Not available
Boiling point	> 233 °C (> 451.40 °F)
Flash point	> 103 °C (> 217.40 °F) Tag Closed Cup
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available

Vapor pressure	Not available
Vapor density	> 1 (Air = 1)
Specific gravity	> 1 @ 20°C (68°F) (H2O = 1)
Octanol/water coefficient	Not available
Solubility (H2O)	Complete
Auto-ignition temperature	Not available
Viscosity	Water thin
Percent volatile	Not available

10. Chemical Stability & Reactivity Information

Chemical stability	Stable.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents. Acids. Bases.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon when heated to decomposition.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
1,2-Propylene glycol	Not available
Dipropylene glycol	Not available
Glycerol	> 2.28 Mg/L rat
Triethylene glycol	Not available
Water	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
1,2-Propylene glycol	14800 mg/kg rabbit; 20000 mg/kg rat
Dipropylene glycol	13300 mg/kg rat
Glycerol	12600 mg/kg rat
Triethylene glycol	7900 mg/kg guinea pig; 12800 mg/kg rat; 8400 mg/kg rabbit; 21000 mg/kg mouse
Water	14500 mg/kg rat

Effects of acute exposure

Eye	May cause irritation.
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting.
Sensitization	Non-hazardous by WHMIS/OSHA criteria.
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Algae Data

1,2-Propylene glycol 57-55-6 96 Hr EC50 Selenastrum capricornutum: 19000 mg/L

Ecotoxicity - Freshwater Fish Species Data

1,2-Propylene glycol 57-55-6 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Pimephales promelas: 51400 mg/L [static]
Dipropylene glycol 25265-71-8 24 Hr LC50 Carassius auratus: >5000 mg/L [static]
Glycerol 56-81-5 96 Hr LC50 Oncorhynchus mykiss: 50 mg/L
Triethylene glycol 112-27-6 96 Hr LC50 Pimephales promelas: 59900 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 10000 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 61000 mg/L [flow-through]

Ecotoxicity - Microtox Data

1,2-Propylene glycol 57-55-6 30 Min EC50 Photobacterium phosphoreum: 710 mg/L
Dipropylene glycol 25265-71-8 16 Hr EC50 Pseudomonas putida: 10000 mg/L
Triethylene glycol 112-27-6 5 Min EC50 Photobacterium phosphoreum: 850 mg/L

Ecotoxicity - Water Flea Data

1,2-Propylene glycol 57-55-6 48 Hr EC50 water flea: >10000 mg/L
Glycerol 56-81-5 24 Hr EC50 Daphnia magna: >500 mg/L
Triethylene glycol 112-27-6 48 Hr EC50 Daphnia magna: 42426 mg/L

Environmental effects Not available

Aquatic toxicity Not available

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Partition coefficient Not available

Mobility in environmental media Not available

Chemical fate information Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Review federal, state/provincial, and local government requirements prior to disposal.

Waste from residues / unused products Not available

Contaminated packaging Not available

14. Transport Information

Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

1,2-Propylene glycol 57-55-6 1 %
Triethylene glycol 112-27-6 1 %

US Federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical No

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	No
Clean Air Act (CAA)	Not available
Clean Water Act (CWA)	Not available
Safe Drinking Water Act (SDWA)	Not available
Drug Enforcement Agency (DEA)	Not available
Food and Drug Administration (FDA)	Not available
WHMIS classification	Exempt - Consumer product
State regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - Massachusetts - Right To Know List

Glycerol	56-81-5	Present (mist)
----------	---------	----------------

U.S. - Minnesota - Hazardous Substance List

1,2-Propylene glycol	57-55-6	Present
Glycerol	56-81-5	Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Dipropylene glycol	25265-71-8	sn 2079
Triethylene glycol	112-27-6	sn 2079

U.S. - Pennsylvania - RTK (Right to Know) List

1,2-Propylene glycol	57-55-6	Present
Dipropylene glycol	25265-71-8	Present
Glycerol	56-81-5	Present
Triethylene glycol	112-27-6	Present

U.S. - Rhode Island - Hazardous Substance List

1,2-Propylene glycol	57-55-6	Flammable
Glycerol	56-81-5	Toxic; Flammable
Triethylene glycol	112-27-6	Flammable

Inventory name

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

06-Feb-2007

Effective date

01-Feb-2007

Expiry date

01-Feb-2010

Prepared by

Dell Tech Laboratories Ltd. (519) 858-5021