

Instruction Manual

Attached Warranty Card

▲ Please keep the Instruction and the warranty Card carefully for further reference.
Please read all instructions before using the device.

I .Cautions (The following basic safety precautions should be always complied with)
Avoid casualties and property loss, please always follow the attentions as the following.

Warning May cause electric shock or fire hazard.

- Prohibition**
- Installing**
- 1.Do not use unsafe plug or power.
 - 2.Do not install the device at the place where children can touch.
 - 3.Do not install the device at the place where can not bear strength and prone result in falling and collapsing.
 - 4.Do not tilt the device.
 - 5.Keep the device away from fire and heat source, prohibit to store flammable and explosive materials around the device.
 - 6.Except for the atomizer, the housing material is not resistant to corrosion.
 - 7.Do not use device in high temperature or wet environment.
 - 8.Do not use inflammable, explosive, corrosive and other hazardous solvents work with the device.

Note May cause personal injury or property damage



Necessary

Installing


- 1.Ensure the firmness of installation area.
- 2.Install the device in a ventilative and adequate space.
- 3.Do not block the sprayer by hand or other obstructions when the device is working.
- 4.Do not spill water or conductive, corrosive liquid on the device surface or fall inside of the device.
- 5.Do not operate device without stopping. Suggested average daily usage time should not exceed 14 hours, and the second level is recommended.
- 6.Cut off the power in extreme weather environment.

II. Instruction


Approved Certificate: CE、FCC、RoHS、CNAS and so on.

Application Place: Hotel、4S Car store、Brand Shop、Bar、Public Area and so on.

III. Schematic diagram of connecting air-conditioning duct



IV. Operation Introduction



1.The device has four buttons : “” is the return button“” is confirmation button, “” is the increasing button and “” is the shift button.

2.Buttons operation:

Under the normal working interface, press “” and “” buttons at the same time to enter the password setting interface.

3.Under the normal working interface, press “” button to adjust the concentration level A,B and C.

4.Under the normal working interface, press “” and “” buttons at the same time to enter local time setting interface.

5.Under the normal working interface, press “” button to enter the working time and frequency setting interface.


6.Under the normal working interface, long press “” button to turn on/off the fan.

7.Under the normal working interface, long press “” button to turn off the machine.

Factory Reset:

Under the normal working interface, firstly, press the “” and “” buttons at the same time until the interface show YES/NO, then let your hand go. Secondly ,operate “” to choose YES then press “” button to confirm it and finish the setting.


V.The main common problems after long-time not using.




2.Equipment can not work, but the PCB display normally



3.Abnormal Noise



4.Machine works but no scent or scent is weak



5.Oil Leakage



VI.Accessories and spare parts

Please clean the equipment periodically,suggest 2-3 months in 1 circle , so that it can work under best condition.

Please cut off the power when cleaning, also do not use wet hand to operate it directly, in case of electric shock and injury.

1.Long-term non-use

- (1) Please turn off and cut off the power then roll up the power cord.
- (2) Clean the filter components.
- (3) Place the deodorant package which contains activated carbon in the device or package, to prevent residual substances in the equipment produce odor.
- (4) Please equip the machine with the dust cover, placed in the shade, ventilative place.

VII.Accessories and spare parts

Name	Quantity	Name	Quantity
Aroma diffuser	1PC	Screws (including plastic expansion tube)	2PC
Adapter	1PC	Manual	1PC
Cap	1PC	Warranty card	1PC
Air conditioning tube	1PC	Bottle sealing gasket	1PC
Key	2PC	Mounting strip	1PC
Connector	1PC		

VIII. After-sales Service

- 1.Provide free technical solutions and installation process guidance.
- 2.Provide free online FAQ consultation and scent-marketing suggestion.

IX. The equipment warranty and precautions

- 1.The equipment warranty period is 12 months (from the date of sale).
- 2.Please provide the warranty card,Invoice or other provement which can prove the equipment was ordered in our company to enjoy the free maintenance.
- 3.The human error or other wrong operation cause the fault not belong to the scope of warranty, and will not be accepted to provide free maintenance.

APP Operation Manual



aroma smart

APP operations and settings

I. Download aroma smart

1. Please enter the App store, Google Play Store or Android App store, then input aroma smart and download the App.



ios



Android

II. Network Control




1. Click WIFI to allocate the network.



2. Select the WIFI account which is connected to your cell phone, then input the password. (Please note that this product can only be connected with the 2.4G router.)



3. Select the hot spot of this App module, AromalinkXXX and return to the App.




4. Input WIFI hot spot password, the default password is 12345678.



5. Configure and wait the result. (You need to try several times if the network is unstable.)

III. Product Settings and Operations



1. Click the device name and enter the setting interface.



2. Set the switch.



3. Set the start and end time. (two periods)


IV. Grouping and group control



4. Set the frequency.
(Including two sections,
the maximum data is 300
seconds, the minimum
data is 5 seconds)



5. Set the working concentra-
tion.



1. Grouping and add new
groups.



2. Create a new group name.




3. Group control.




4. Group work settings.

V. Essential oil detection



1. When the remaining
essential oil is insufficient,
the APP will send a prompt
message and the essential
oil capacity icon will be
displayed in red.


VI. Other settings and operations



1. Press and hold the device
name to pop up the
rename/QR code sharing/
mobile sub-lease/delete
device.



2. Share the QR code.



3. Scan the nearby devices
that have been connected
to the Internet.



4. Scan the QR code.



5. Search the device on the
list.